Tool ID: 1303 Tool Location: 224

### **Equipment Information Sheet**

## ReynoldsTech Polymer Vapor Deposition

Manager:Ron Olson607-254-6203Calls to staff phones will be automatically forwarded to their cell phones during<br/>accessible hours. At other times leave a message or send them an email.

#### **SAFETY**

- Machine uses flammable solvents.
- Fumes created in the machine

# USAGE RESTRICTIONS SCHEDULING/SIGN-UP RESTRICTIONS

• Reserve on the CORAL system

Minimum Tool Time: 15

minutes

### **MATERIALS COMPATIBILITY CATEGORY**

Tool Category 5: Class A and B Metals and Compounds	
Allowed	Not Allowed
Tool category 1/1E, 2, 3, and 4 materials	
Silicon Based Substrates and Films	
III/V compound Semiconductors	
Glass Substrates	
PECVD and ALD Films	
Cured organics and baked Photoresist	
CNF Class A, B, and Refractory metals	
Exposed Gold, Silver, Copper	
Alkali and Alkaline Compounds	
Organic/Biology Molecules prepared-w/salt buffers	
High Vapor Pressure Materials (Mg, Ca, Zn)*	* Some tool restrictions on high vapor pressure materials may apply
Soft organic materials	

High Vapor Pressure Metals and Compounds are materials that have a vapor pressure above 1e-6 Torr at 400 C.

### **Additional Material Restrictions and Exceptions**

• Iron(III)tosylate and EDOT process

Last Updated: 07/20/2021